










Product name

Separators

For removing ball bearings, roller bearings, inner races and other tight parts if there is not enough space to use pulling hooks.

Art. No. 15-3

Series 15

	Technical attribute	Metric	Imperial
	Diameter of the shaft	25 - 155 mm	1 - 6 1/8 inch
	Distance of side screw	155 mm	6 1/8 inch
	Weight	5.3 kg	
	Space below	0 mm	0 inch
	Space next to it	155 mm	6 1/8 inch
	Spread	25 - 155 mm	1 - 6 1/8 inch
	Depth	300 mm	11 7/8 inch



Spare part




Art. No.	Product name
015270	Side bolt with nut

Part of

Art. No.	Product name
WT-030	Puller product range - automotive - axle
15-C	Separating-set

Spare part of

Art. No.	Product name
15-C	Separating-set



 <div>Kleinbongartz & Kaiser oHG Werkzeugfabrik Hilden - Germany</div>	Dokumentname: 15-3 Trennvorrichtung		Toleranz: DIN ISO 2768-m	
	Dokumentbeschreibung: Baugruppe		Material: Hoch legierter Werkzeugstahl / High alloy tool steel	
	Erstellt von: Breidenbach	Erstellungsdatum: 11/10/2017		Maßstab: 1:2
	Teilbeschreibung: Trennvorrichtung /Separators			Wärmebehandlung / Härte: vergüteter Stahl/ tempered steel
Artikelnummer / ZNR.: 15-3		Dokumentversion: -	Oberflächenbehandlung:	
			Schutzvermerk ISO 16016 beachten	